

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



SIMMONS

Examiner:

UNKNOWN

al No.:

10/764,428

Group Art Unit:

1651

JANUARY 23, 2004

Docket:

11669.120USU1

Confirmation No.:

6080

Customer No.:

23552

Title:

METHODS FOR PRODUCING HUMANIZED ANTIBODIES AND IMPROVING YIELD

OF ANTIBODIES OR ANTIGEN BINDING FRAGMENTS IN CELL CULTURE

**CERTIFICATE UNDER 37 CFR 1.8:** 

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450,

Alexandria, VA 22313-1450 on September 24, 2004.

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

23552 PATENT TRADEMARK OFFICE

Sir:

We are transmitting herewith the attached:

☐ Transmittal Sheet in duplicate containing Certificate of Mailing

Information Disclosure Statement, Form 1449, 47 References

Return postcard

Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers or any future reply, if appropriate. Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. A duplicate of this sheet is enclosed.

MERCHANT & GOULD P.C. P.O. Box 2903, Minneapolis, MN 55402-0903 612.332.5300

Name: /Katherine M. Kowalchyk

Reg. No.: 36,848 KKowalchyk:sab

764,428 **PATENT** 

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

SIMMONS

Examiner:

UNKNOWN

Serial No.:

10/764,428

Group Art Unit:

1651

Filed:

JANUARY 23, 2004

Docket No.:

11669.120USU1

Confirmation No.:

6080

Customer No.:

23552

Title:

METHODS FOR PRODUCING HUMANIZED ANTIBODIES AND IMPROVING YIELD OF ANTIBODIES OR ANTIGEN BINDING

FRAGMENTS IN CELL CULTURE

**CERTIFICATE UNDER 37 CFR 1.8:** 

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

on September 24, 2004.

# **INFORMATION DISCLOSURE STATEMENT (37 C.F.R. § 1.97(b))**

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

### Dear Sir:

With regard to the above-identified application, the items of information listed on the enclosed Form 1449 are brought to the attention of the Examiner.

This statement should be considered because it is submitted before the mailing date of a first Office Action on-the-merits. Accordingly, no fee is due for consideration of the items listed on the enclosed Form 1449.

A copy of any foreign patent document or "Other Document" listed on the Form 1449 is enclosed, in accordance with 37 C.F.R. §1.98(a)(2). Because this application was filed after June 30, 2003, copies of the U.S. Patents and U.S. patent publications listed on the enclosed Form 1449 are not provided.

No representation is made that a reference is "prior art" within the meaning of 35 U.S.C.  $\S\S$  102 and 103 and Applicants reserve the right, pursuant to 37 C.F.R.  $\S$  1.131 or otherwise, to establish that the reference(s) are not "prior art." Moreover, Applicants do not represent that a

reference has been thoroughly reviewed or that any relevance of any portion of a reference is intended.

Consideration of the items listed is respectfully requested. Pursuant to the provisions of M.P.E.P. 609, it is requested that the Examiner return a copy of the attached Form 1449, marked as being considered and initialed by the Examiner, to the undersigned with the next official communication.

Please charge any additional fees or credit any overpayment to Deposit Account No. 13-2725.

23552

Respectfully submitted,

MERCHANT & GOULD P.C. P. O. Box 2903 Minneapolis, Minnesota 55402-0903 612.332.5300

Date Sept. 24, 2004

Katherine M. Kowalchyk

Reg. No. 36,848

KMK:sab

Sheet 1 of 3 Date Mailed: September 24, 2004

	SP 27 2004 H
/8	TRADEMART

#### RMATION DISCLOSURE STATEMENT

IN AN APPLICATION

(Use several sheets if necessary)

11669.120USU1

Application Number: 10/764,428

Applicant: SIMMONS

Docket Number:

Filing Date: 01/23/04 Group Art Unit: 1651

		U	S. PATENT DOCUMEN	ITS			
EXAMINER DOCUMENT NO. INITIAL		DATE	NAME	CLASS	SUBCLASS	FILING IF APPRO	G DATE OPRIATE
	4,816,567	03/28/1989	Cabilly et al.				
	5,534,615	07/09/1996	Baker et al.				
	5,840,523	11/24/1998	Simmons et al.				
	6,027,888	02/22/2000	Georgiuo et al.				
	6,083,715	07/04/2000	Georgiuo et al.				
	6,172,213 B1	01/09/2001	Lowman et al.				
	2002/0032315 A1	03/14/2002	Baca et al.				
	6,602,688 B1	08/05/2003	Opper et al.				
		FOR	EIGN PATENT DOCUM	IENTS			
	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
	WO 02/061090	08/08/2002	PCT				
	ОТНІ	R DOCUMENT	S (Including Author, Title,	Date, Pertinent l	Pages, Etc.)		
		Arie et al., "Chaperone function of FkpA, a heat shock prolyl isomerase, in the periplasm of Escherichia coli", Molecular Microbiology, 39(1):199-210 (2001)					
	Arndt e	Arndt et al., "Factors Influencing the Dimer to Monomer Transition of an Antibody Single-Chain Fv Fragment" Biochemistry, 37:12918-12926 (1998)					
	Barbas enhance	Barbas et al., "In vitro evolution of a neutralizing human antibody to human immunodeficiency virus type 1 to enhance affinity and broaden strain cross-reactivity", Proc. Nat. Acad. Sci. USA, 91:3809-3813 (1994)					
	Benhar Journa	Benhar et al., "Identification of Residues that Stabilize the Single-chain Fv of Monoclonal Antibodies B3", The Journal of Biological Chemistry, 270(40):23373-23380 (1995)  Bothmann et al., "The Periplasmic Escherichia coli Peptidylprolyl cis,trans-Isomerase FkpA, Journal of Biological Chemistry, 275(22):17100-17105 (2000)  Carter et al., "Humanization of an anti-p185HER2 antibody for human cancer therapy", Proc. Natl. Acad. Sci. US. 89:4285-4289 (1992)  Chen et al., "Chaperone Activity of DsbC", Journal of Biological Chemistry, 274(28):19601-19605 (1999)					
					l of		
	Carter 6 89:428				ıd. Sci. US		
	Chen e				1999)		
	Chothia et al., "Domain Association in Immunoglobulin Molecules", J. Mol. Biol., 186:651-663 (198:			5)			
	Chothia	et al., "Canonical	Structures for the Hyperva	riable Regions"	, J. Mol. Biol., 196:	901-917 (198	57)
	1		ntibody Engineering", Curi				

	1
EXAMINER	DATE CONSIDERED
E/O WINTER	5/112 00/10/02/12/0

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

Date Mailed: September 24, 2004 Sheet 2 of 3

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 11669.120USU1	Application Number: 10/764,428	
IN AN APPLICATION	Applicant: SIMMONS		
(Use several sheets if necessary)	Filing Date: 01/23/04	Group Art Unit: 1651	

The state of the s
de Haard et al., "Absolute conservation of residue 6 of immunoglobulin heavy chain variable regions of class IIA is required for correct folding", <i>Prot. Eng.</i> , 11(12):1267-1276 (1998)
Dumoulin, M. et al., "Single-domain antibody fragments with high conformational stability", <i>Nat. Struct. Biol.</i> , 11:500-515 (2002)
Forsberg, G. et al., "Identification of Framework Residues in a Secreted Recombinant Antibody Fragment that Control Production Level and Localization in <i>Escherichia coli</i> ", <i>J. Biol. Chem.</i> , 272:12430-12436 (1997)
Hawkins et al., "Selection of Phage Antibodies by Binding Affinity: Mimicking Affinity Maturation", J. Mol. Biol., 226:889-896 (1992)
Honneger et al., "The influence of the Buried Glutamine or Glutamate Residue in Position 6 on the Structure of Immunoglobulin Variable Domains", J. Mol. Biol., 309:687-699 (2001)
Jackson et al., "In Vitro Antibody Maturation: Improvement of a High Affinity, Neutralizing Antibody Against IL-1β", J. Immunol., 154(7):3310-3319 (1995)
Jones et al., "Replacing the complementarity-determining regions in a human antibody with those from a mouse", Nature, 321:522-525 (1986)
Jung, S. et al., "Selection for Improved Protein Stability by Phage Display", J. Mol. Biol., 294:163-180 (1999)
Jung et al., "The Importance of Framework Residues H6, H7 and H10 in Antibody Heavy Chains: Experimental Evidence for a New Structural Subclassification of Antibody V <sub>H</sub> Domains", J. Mol. Biol., 309:701-716 (2001)
Knappik, A. et al., "Fully Synthetic Human Combinatorial Antibody Libraries (HuCAL) Based on Modular Consensus Frameworks and CDRs Randomized with Trinucleotides", J. Mol. Biol., 296:57-86 (2000)
Ladner, R. et al., "Novel frameworks as a source of high-affinity ligands", Curr. Opin. Biotechnol., 12:406-410 (2001)
Langedijk et al., "The Nature of Antibody Heavy Chain Residue H6 Strongly Influences the Stability of a V <sub>H</sub> Domain Lacking the Disulfide Bridge", J. Mol. Biol., 283:95-110 (1998)
Marks et al., "By-Passing Immunization: Building High Affinity Human Antibodies by Chain Shuffling", Bio/Technology, 10:779-783 (1992)
Miller, "Protein-Protein Recognition and the Association of Immunoglobulin Constant Domains", J. Mol. Biol., 216:965-973 (1990)
Morrison et al., "Chimeric human antibody molecules: Mouse antigen-binding domains with human constant region dimmers", <i>Proc. Natl. Acad. Sci USA</i> , 81(21):6851-6855 (1984)
Muller et al., :VEGF and the Fab fragment of a humanized neutralizing antibody: crystal structure of the complex at 2.4 Å resolution and mutational analysis of the interface", Structure, 6:1153-1167 (1998)
Nieba et al., "Disrupting the hydrophobic patches at the antibody variable/constant domain interface: improved in vivo folding and physical characterization of an engineered scFv fragment", Protein Engineering, 10(4):435-444 (1997)
Novotny et al., "Structural invariants of antigen binding: Comparison of immunoglobulin V <sub>L</sub> -V <sub>H</sub> and V <sub>L</sub> -V <sub>L</sub> domain dimmers", <i>Proc. Natl. Acad. Sci USA.</i> , 82:4592-4596 (1985)

EXAMINER	DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 11669.120USU1	Application Number: 10/764,428	
IN AN APPLICATION	Applicant: SIMMONS		
(Use several sheets if necessary)	Filing Date: 01/23/04	Group Art Unit: 1651	

Padlan et al., "Antibody Fab Assembly: The Interface Residues Between CH1 and CL", Mol. Immunol., 23(9): 951-960 (1986)  Plückthun, A., "Antibodies from Escherichia coli", The Pharmacology of Monoclonal Antibodies, Vol. 113, Rosenburg and Moore eds. Springer-Verlag, New York, pp. 269-315 (1994)  Presta, "Antibody Engineering", Curr. Op. Struct. Biol., 2:593-596 (1992)  Presta et al., "Humanization of an Anti-Vascular Endothelial Growth Factor Monoclonal Antibody for the Therapy of Solid Tumors and Other Disorders", Cancer Res., 57:4593-4599 (1997)  Proba et al., "Functional antibody single-chain fragments from the cytoplasm of Escherichia coli: influence of thioredoxin reductase (TrxB)", Gene,, 159:203-207 (1995)  Ramm et al., "The Periplasmic Escherichia coli Peptidylprolyl cis, trans-Isomerase FkpA", J. Mol. Biol., 275(22):17106-17113 (2000)  Ramm et al., "Removal of the Conserved Disulfide Bridges from the seFv Fragment of an Antibody: Effects on Folding Kinetics and Aggregation", J. Mol. Biol., 290:535-546 (1999)  Riechmann et al., "Reshaping human antibodies for therapy", Nature, 332:323-327 (1988)  Schier et al., "Identification of functional and structural amino-acid residues by parsimonious mutagenesis", Gene, 169:147-155 (1995)  Shields et al., "Inhibition of Allergic Reactions with Antibodies to IgE", Int. Arch. Allergy Immunol., 107:308-312 (1995)  Simmons et al., "Translational level is a critical factor for the secretion of heterologous proteins in Escherichia coli", Nature Biotechnology, 14:629-634 (1996)  Sims et al., "A Humanized CD18 Antibody Can Block Function without Cell Destruction", J. Immunol., 151:2296-2308 (1993)  Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity", Science, 239:1534-1536 (1988)  Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli", Protein Engineering, 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yel	
Rosenburg and Moore eds. Springer-Verlag, New York, pp. 269-315 (1994)  Presta, "Antibody Engineering", Curr. Op. Struct. Biol., 2:593-596 (1992)  Presta et al., "Humanization of an Anti-Vascular Endothelial Growth Factor Monoclonal Antibody for the Therapy of Solid Tumors and Other Disorders", Caneer Res., 57:4593-4599 (1997)  Proba et al., "Functional antibody single-chain fragments from the cytoplasm of Escherichia coli: influence of thioredoxin reductase (TrxB)", Gene, 159:203-207 (1995)  Ramm et al., "The Periplasmic Escherichia coli Peptidylprolyl cis,trans-Isomerase FkpA", J. Mol. Biol., 275(22):17106-17113 (2000)  Ramm et al., "Removal of the Conserved Disulfide Bridges from the scFv Fragment of an Antibody: Effects on Folding Kinetics and Aggregation", J. Mol. Biol., 290:535-546 (1999)  Riechmann et al., "Reshaping human antibodies for therapy", Nature, 332:323-327 (1988)  Schier et al., "Identification of functional and structural amino-acid residues by parsimonious mutagenesis", Gene, 169:147-155 (1995)  Shields et al., "Inhibition of Allergic Reactions with Antibodies to IgE", Int. Arch. Allergy Immunol., 107:308-312 (1995)  Simmons et al., "Translational level is a critical factor for the secretion of heterologous proteins in Escherichia coli", Nature Biotechnology, 14:629-634 (1996)  Sims et al., "A Humanized CD18 Antibody Can Block Function without Cell Destruction", J. Immunol., 151:2296-2308 (1993)  Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity", Science, 239:1534-1536 (1988)  Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli", Protein Engineering, 12(7):605-611 (1999)  Worn et al., "Reshaping Human Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995)	
Presta et al., "Humanization of an Anti-Vascular Endothelial Growth Factor Monoclonal Antibody for the Therapy of Solid Tumors and Other Disorders", Cancer Res., 57:4593-4599 (1997)  Proba et al., "Functional antibody single-chain fragments from the cytoplasm of Escherichia coli: influence of thioredoxin reductase (TrxB)", Gene, 159:203-207 (1995)  Ramm et al., "The Periplasmic Escherichia coli Peptidylprolyl cis,trans-Isomerase FkpA", J. Mol. Biol., 275(22):17106-17113 (2000)  Ramm et al., "Removal of the Conserved Disulfide Bridges from the scFv Fragment of an Antibody: Effects on Folding Kinetics and Aggregation", J. Mol. Biol., 290:535-546 (1999)  Riechmann et al., "Reshaping human antibodies for therapy", Nature, 332:323-327 (1988)  Schier et al., "Identification of functional and structural amino-acid residues by parsimonious mutagenesis", Gene, 169:147-155 (1995)  Shields et al., "Inhibition of Allergic Reactions with Antibodies to IgE", Int. Arch. Allergy Immunol., 107:308-312 (1995)  Simmons et al., "Translational level is a critical factor for the secretion of heterologous proteins in Escherichia coli", Nature Biotechnology, 14:629-634 (1996)  Sims et al., "A Humanized CD18 Antibody Can Block Function without Cell Destruction", J. Immunol., 151:2296-2308 (1993)  Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity", Science, 239:1534-1536 (1988)  Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli", Protein Engineering, 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Engineering linear F(ab') <sub>2</sub> fragments for efficient production in Escherichia coli and enhanced antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	Plückthun, A., "Antibodies from Escherichia coli", The Pharmacology of Monoclonal Antibodies, Vol. 113, Rosenburg and Moore eds. Springer-Verlag, New York, pp. 269-315 (1994)
Therapy of Solid Tumors and Other Disorders", Cancer Res., 57:4593-4599 (1997)  Proba et al., "Functional antibody single-chain fragments from the cytoplasm of Escherichia coli: influence of thioredoxin reductase (TrxB)", Gene, 159:203-207 (1995)  Ramm et al., "The Periplasmic Escherichia coli Peptidylprolyl cis,trans-Isomerase FkpA", J. Mol. Biol., 275(22):17106-17113 (2000)  Ramm et al., "Removal of the Conserved Disulfide Bridges from the scFv Fragment of an Antibody: Effects on Folding Kinetics and Aggregation", J. Mol. Biol., 290:535-546 (1999)  Riechmann et al., "Reshaping human antibodies for therapy", Nature, 332:323-327 (1988)  Schier et al., "Identification of functional and structural amino-acid residues by parsimonious mutagenesis", Gene, 169:147-155 (1995)  Shields et al., "Inhibition of Allergic Reactions with Antibodies to IgE", Int. Arch. Allergy Immunol., 107:308-312 (1995)  Simmost et al., "Translational level is a critical factor for the secretion of heterologous proteins in Escherichia coli", Nature Biotechnology, 14:629-634 (1996)  Sims et al., "A Humanized CD18 Antibody Can Block Function without Cell Destruction", J. Immunol., 151:2296-2308 (1993)  Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity", Science, 239:1534-1536 (1988)  Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli", Protein Engineering, 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995)	Presta, "Antibody Engineering", Curr. Op. Struct. Biol., 2:593-596 (1992)
thioredoxin reductase (TrxB)", Gene, 159:203-207 (1995)  Ramm et al., "The Periplasmic Escherichia coli Peptidylprolyl cis,trans-Isomerase FkpA", J. Mol. Biol., 275(22):17106-17113 (2000)  Ramm et al., "Removal of the Conserved Disulfide Bridges from the scFv Fragment of an Antibody: Effects on Folding Kinetics and Aggregation", J. Mol. Biol., 290:535-546 (1999)  Riechmann et al., "Reshaping human antibodies for therapy", Nature, 332:323-327 (1988)  Schier et al., "Identification of functional and structural amino-acid residues by parsimonious mutagenesis", Gene, 169:147-155 (1995)  Shields et al., "Inhibition of Allergic Reactions with Antibodies to IgE", Int. Arch. Allergy Immunol., 107:308-312 (1995)  Simmons et al., "Translational level is a critical factor for the secretion of heterologous proteins in Escherichia coli", Nature Biotechnology, 14:629-634 (1996)  Sims et al., "A Humanized CD18 Antibody Can Block Function without Cell Destruction", J. Immunol., 151:2296-2308 (1993)  Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity", Science, 239:1534-1536 (1988)  Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli", Protein Engineering, 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995)  Zapata, G. et al., "Engineering linear F(ab') <sub>2</sub> fragments for efficient production in Escherichia coli and enhanced antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	
275(22):17106-17113 (2000)  Ramm et al., "Removal of the Conserved Disulfide Bridges from the scFv Fragment of an Antibody: Effects on Folding Kinetics and Aggregation", <i>J. Mol. Biol.</i> , 290:535-546 (1999)  Riechmann et al., "Reshaping human antibodies for therapy", <i>Nature</i> , 332:323-327 (1988)  Schier et al., "Identification of functional and structural amino-acid residues by parsimonious mutagenesis", <i>Gene</i> , 169:147-155 (1995)  Shields et al., "Inhibition of Allergic Reactions with Antibodies to IgE", <i>Int. Arch. Allergy Immunol.</i> , 107:308-312 (1995)  Simmons et al., "Translational level is a critical factor for the secretion of heterologous proteins in <i>Escherichia coli</i> ", <i>Nature Biotechnology</i> , 14:629-634 (1996)  Sims et al., "A Humanized CD18 Antibody Can Block Function without Cell Destruction", <i>J. Immunol.</i> , 151:2296-2308 (1993)  Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity", <i>Science</i> , 239:1534-1536 (1988)  Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in <i>Escherichia coli</i> ", <i>Protein Engineering</i> , 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", <i>J. Mol. Biol.</i> , 305:989-1010 (2001)  Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", <i>J. Immunol.</i> , 155:1994-2004 (1995)  Zapata, G. et al., "Engineering linear F(ab') <sub>2</sub> fragments for efficient production in <i>Escherichia coli</i> and enhanced antiproliferative activity", <i>Protein Eng.</i> , 8(10):1057-1062 (1995)	Proba et al., "Functional antibody single-chain fragments from the cytoplasm of <i>Escherichia coli</i> : influence of thioredoxin reductase (TrxB)", <i>Gene</i> , 159:203-207 (1995)
Folding Kinetics and Aggregation", J. Mol. Biol., 290:535-546 (1999)  Riechmann et al., "Reshaping human antibodies for therapy", Nature, 332:323-327 (1988)  Schier et al., "Identification of functional and structural amino-acid residues by parsimonious mutagenesis", Gene, 169:147-155 (1995)  Shields et al., "Inhibition of Allergic Reactions with Antibodies to IgE", Int. Arch. Allergy Immunol., 107:308-312 (1995)  Simmons et al., "Translational level is a critical factor for the secretion of heterologous proteins in Escherichia coli", Nature Biotechnology, 14:629-634 (1996)  Sims et al., "A Humanized CD18 Antibody Can Block Function without Cell Destruction", J. Immunol., 151:2296-2308 (1993)  Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity", Science, 239:1534-1536 (1988)  Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli", Protein Engineering, 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995)  Zapata, G. et al., "Engineering linear F(ab') <sub>2</sub> fragments for efficient production in Escherichia coli and enhanced antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	
Schier et al., "Identification of functional and structural amino-acid residues by parsimonious mutagenesis", Gene, 169:147-155 (1995)  Shields et al., "Inhibition of Allergic Reactions with Antibodies to IgE", Int. Arch. Allergy Immunol., 107:308-312 (1995)  Simmons et al., "Translational level is a critical factor for the secretion of heterologous proteins in Escherichia coli", Nature Biotechnology, 14:629-634 (1996)  Sims et al., "A Humanized CD18 Antibody Can Block Function without Cell Destruction", J. Immunol., 151:2296-2308 (1993)  Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity", Science, 239:1534-1536 (1988)  Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli", Protein Engineering, 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995)  Zapata, G. et al., "Engineering linear F(ab') <sub>2</sub> fragments for efficient production in Escherichia coli and enhanced antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	
Shields et al., "Inhibition of Allergic Reactions with Antibodies to IgE", Int. Arch. Allergy Immunol., 107:308-312 (1995)  Simmons et al., "Translational level is a critical factor for the secretion of heterologous proteins in Escherichia coli", Nature Biotechnology, 14:629-634 (1996)  Sims et al., "A Humanized CD18 Antibody Can Block Function without Cell Destruction", J. Immunol., 151:2296-2308 (1993)  Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity", Science, 239:1534-1536 (1988)  Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli", Protein Engineering, 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995)  Zapata, G. et al., "Engineering linear F(ab") <sub>2</sub> fragments for efficient production in Escherichia coli and enhanced antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	Riechmann et al., "Reshaping human antibodies for therapy", Nature, 332:323-327 (1988)
Simmons et al., "Translational level is a critical factor for the secretion of heterologous proteins in Escherichia coli", Nature Biotechnology, 14:629-634 (1996)  Sims et al., "A Humanized CD18 Antibody Can Block Function without Cell Destruction", J. Immunol., 151:2296-2308 (1993)  Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity", Science, 239:1534-1536 (1988)  Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli", Protein Engineering, 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995)  Zapata, G. et al., "Engineering linear F(ab') <sub>2</sub> fragments for efficient production in Escherichia coli and enhanced antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	Schier et al., "Identification of functional and structural amino-acid residues by parsimonious mutagenesis", Gene, 169:147-155 (1995)
coli", Nature Biotechnology, 14:629-634 (1996)  Sims et al., "A Humanized CD18 Antibody Can Block Function without Cell Destruction", J. Immunol., 151:2296-2308 (1993)  Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity", Science, 239:1534-1536 (1988)  Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli", Protein Engineering, 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995)  Zapata, G. et al., "Engineering linear F(ab") <sub>2</sub> fragments for efficient production in Escherichia coli and enhanced antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	
151:2296-2308 (1993)  Verhoeyen et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity", Science, 239:1534-1536 (1988)  Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli", Protein Engineering, 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995)  Zapata, G. et al., "Engineering linear F(ab') <sub>2</sub> fragments for efficient production in Escherichia coli and enhanced antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	
Wall et al., "The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli", Protein Engineering, 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995)  Zapata, G. et al., "Engineering linear F(ab') <sub>2</sub> fragments for efficient production in Escherichia coli and enhanced antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	
Engineering, 12(7):605-611 (1999)  Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)  Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995)  Zapata, G. et al., "Engineering linear F(ab') <sub>2</sub> fragments for efficient production in Escherichia coli and enhanced antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	
Yelton et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995)  Zapata, G. et al., "Engineering linear F(ab') <sub>2</sub> fragments for efficient production in Escherichia coli and enhanced antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	
Immunol., 155:1994-2004 (1995)  Zapata, G. et al., "Engineering linear F(ab') <sub>2</sub> fragments for efficient production in Escherichia coli and enhanced antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	Worn et al., "Stability Engineering of Antibody Single-chain Fv Fragments", J. Mol. Biol., 305:989-1010 (2001)
antiproliferative activity", Protein Eng., 8(10):1057-1062 (1995)	
Zhu et al., "Remodeling domain interfaces to enhance heterodimer formation", Protein Science, 6:781-788 (1997)	
	Zhu et al., "Remodeling domain interfaces to enhance heterodimer formation", Protein Science, 6:781-788 (1997)

23552
PATENT TRADEMARK OFFICE

EXAMINER	1 DATE CONCIDEDED
EXAMINER	DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.